

AMTEX[®]

WIRES AND CABLES



An ISO 9001 : 2015 Certified Company

- 1 House Hold Wire
- 1 Flat Cable For Submersible
- 1 Round Multi-Core Cables
- 1 Alluminium Service Wire
- 1 Un-Armoured Cables



WIRES THAT YOU CAN TRUST




FR PVC INSULATED INDUSTRIAL CABLES

● **AMTEX Single Core Multi Stand Cable (90 Mtr.)**

SIZE IN	SIZE IN	CURRENT	STANDARD	RATE
SQ. MM	MM	A.M.P S	PACKING	PER. 90 MTR.
0.50 MM	7/.3	4	30	1000.00
0.75 MM	10/.3	7	30	1260.00
1.0 MM	14/.3	12	30	1480.00
1.5 MM	22/.3	16	30	2350.00
2.5 MM	36/.3	22	16	3850.00
4.0 MM	56/.3	26	12	5800.00
6.0 MM	84/.3	36	5	8350.00
10 MM	140/.3	45	1	14500.00
16 MM	224/.3	60	1	21500.00
25 MM	354/.3	75	1	33660.00
35 MM			1	

● **AMTEX Single Core Multi Stand Cable (45 Mtr.)**

SIZE IN	SIZE IN	CURRENT	STANDARD	RATE
SQ. MM	MM	A.M.P S	PACKING	PER. 45 MTR.
1.0 MM	14/.3	12	54	770.00
1.5 MM	22/.3	16	54	1200.00
2.5 MM	36/.3	22	30	1950.00
4.0 MM	56/.3	26	30	3000.00



● **AMTEX Alluminium Flat Service Wire F.R.L.S. PVC**

SIZE IN	THICKNESS OF	RATE
SQ. MM	INSULATION	PER. MTR.
1.5 MM	0.70	11.00
2.5 MM	0.80	15.00
4 MM	1.00	21.00
6 MM	1.20	30.00
10 MM	1.30	44.00
16 MM	1.50	68.00

● **AMTEX Submercible Flat PVC Cable**

SIZE IN	DAI OF	THIKNESS OF	CURRENT	RATE
SQ. MM	STRANDS	INSULATION		PER. MTR.
1.5 MM	22/.3	0.80	16.00	91.00
2.5 MM	36/.3	0.90	22.00	130.00
4 MM	56/.3	1.00	29.00	185.00
6 MM	84/.3	1.10	37.00	280.00
10 MM	140/.30	1.30	45.00	416.00
16 MM	224/.3	1.60		

● **AMTEX COPPER FLEXIBLE**

SIZE IN	PARTICULAR	RATE
SQ. MM		PER. 90 MTR.
16/20	FLEXIBLE	1180.00
24/20	FLEXIBLE	1724.00
32/20	FLEXIBLE	2400.00
10/20	TWIN	1638.00
16/20	TWIN	2400.00
24/20	TWIN	3200.00

● **AMTEX F.R.L.S. PVC Insulated Multi Core Stand Cable**

SIZE IN SQ. MM	SIZE IN MM	CURRENT A.M.P. S	CORE	RATE PER. MTR.
0.50 MM	7/3	4	2 CORE	23.50
0.50 MM	7/3	4	3 CORE	34.00
0.75 MM	10/.3	7	2 CORE	34.00
0.75 MM	10/.3	7	3 CORE	44.00
0.75 MM	10/.3	7	4 CORE	64.00
1 MM	14/.3	12	2 CORE	46.00
1 MM	14/.3	12	3 CORE	59.00
1 MM	14/.3	12	4 CORE	79.20
1.5 MM	22/.3	16	2 CORE	59.00
1.5 MM	22/.3	16	3 CORE	86.00
1.5 MM	22/.3	16	4 CORE	116.00
2.5 MM	36/.3	20	2 CORE	95.00
2.5 MM	36/.3	20	3 CORE	125.00
2.5 MM	36/.3	20	4 CORE	170.00
4 MM	56/.3	24	2 CORE	125.00
4 MM	56/.3	24	3 CORE	175.00
4 MM	56/.3	24	4 CORE	255.00
6 MM	84/.3	36	3 CORE	295.00
6 MM	84/.3	36	4 CORE	410.00
10 MM	140/.3	45	4 CORE	590.00
16 MM	224/.3	60	4 CORE	940.00
25 MM	350/.3		4 CORE	1584.00

● COPEX F.R.L.S. PVC Insulated Multi Core Round Cable

SIZE IN	SIZE IN	CORE	RATE
SQ. MM	MM		PER. MTR.
0.50 MM	7/.3	2 CORE	22.50
0.50 MM	7/.3	3 CORE	30.00
0.75 MM	10/.3	2 CORE	30.00
0.75 MM	10/.3	3 CORE	38.00
1 MM	14/.3	2 CORE	38.00
1 MM	14/.3	3 CORE	51.00
1.5 MM	22/.3	2 CORE	51.00
1.5 MM	22/.3	3 CORE	78.00
1.5 MM	22/.3	4 CORE	106.00
2.5 MM	36/.3	2 CORE	80.00
2.5 MM	36/.3	3 CORE	110.00
2.5 MM	36/.3	4 CORE	150.00
4 MM	56/.3	2 CORE	110.00
4 MM	56/.3	3 CORE	155.00
4 MM	56/.3	4 CORE	222.00
6 MM	84/.3	3 CORE	260.00
6 MM	84/.3	4 CORE	360.00



Single &
Multicore
Round Flexible Industrial Cables



● **AMTEX Aluminium Unarmoured**

SIZE IN	PARTICULAR	RATE
SQ. MM		PER. 90 MTR.
4x4	Alluminium	50.00
4x3	Alluminium	44.00
6x3	Alluminium	50.00
6x4	Alluminium	72.00
10x3	Alluminium	72.00
10x4	Alluminium	90.00
16x3	Alluminium	90.00
16x4	Alluminium	140.00

● **SMITCAB Single Core Multi Stand Cable**

SIZE IN	SIZE IN	CURRENT	STANDARD	RATE
SQ. MM	MM	A.M.P S	PACKING	PER. 90 MTR.
0.75 MM	10/.3	7	30	860.00
1.0 MM	14/.3	12	30	1071.00
1.5 MM	22/.3	16	30	1760.00
2.5 MM	36/.3	22	16	2850.00
4.0 MM	56/.3	26	12	4000.00
6.0 MM	84/.3	36	5	6800.00
10 MM	140/.3		1	



AMTEX POWER INDUSTRIES

211, GVMM, Opp. Billeswar Complex, Odhav, Ahmedabad-382415 (Gujarat)
E: amtexpower04@gmail.com | Web.: www.amtexpower.in | M. +91 87359 76847